

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

1 Identification of the substance/mixture and of the company/undertaking	
1.1 Product identifier	
Trade name:	HOBBY Silicon Adhesive transparent 75 g HOBBY Silicon Adhesive transparent 310 ml
Item-no.:	11950, 11940
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Relevant identified uses:	Sealant for aquaria
Uses advised against:	No additional information available
1.3 Details of the supplier of the safety data sheet	
Company name:	Dohse Aquaristik GmbH & Co. KG Otto Hahn Str. 9 D-53501 Grafenschaft Gelsdorf
Phone:	+49(0)2225-94150
Fax:	+49(0)2225-946494
eMail:	info@dohse-aquaristik.de
Emergency telephone of the manufacturer / supplier:	Mon-Thurs 7.30-16.30 Fri 7.30-13.00 +49(0)2225-94150
1.4 Emergency number:	Poison control center of the Charité - Universitätsmedizin Berlin D-13437 Berlin / Phone: +49 30 30686 700
2 Hazards identification	
2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
EUH210:	Safety data sheet available on request.
Full text of H- and EUH-statements:	see section 16
Adverse physicochemical, human health and environmental effects	
No additional information available	
2.2 Label elements	
Labelling according to Regulation (EC) No. 1272/2008 [CLP]	
EUH-statements:	
EUH210:	Safety data sheet available on request.
2.3 Other hazards	
Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII	
The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

3 Composition/information on ingredients				
3.1 Substances				
Not applicable				
3.2 Mixtures				
Name:	Product identifier	%:	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Ethyltriacetoxysilane	AS-No.: 17689-77-9 EC-No.: 241-677-4 REACH-no: 01-2119881778-15	≥ 1 – < 2,5	Acute Tox. 4 (Oral), H302 (ATE=380 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 EUH014	
Oligomeric ethyl and methylacetoxysilanes	-	≥ 0,5 – < 2,5	Skin Corr. 1B, H314 Eye Dam. 1, H318	
Methyltriacetoxysilane	CAS-No.: 4253-34-3 EC-No.: 224-221-9 REACH-no: 01-2119962266-32	≥ 0,5 – < 2,5	Acute Tox. 4 (Oral), H302 (ATE=1600 mg/kg bodyweight) Skin Corr. 1B, H314 EUH014	
Specific concentration limits:				
Name:	Product identifier:	Specific concentration limits:		
Ethyltriacetoxysilane	CAS-No.: 17689-77-9 EC-No.: 241-677-4 REACH-no: 01-2119881778-15	(5 ≤ C < 100) Skin Corr. 1, H314 (5 ≤ C < 100) Eye Dam. 1, H318		
Methyltriacetoxysilane	CAS-No.: 4253-34-3 EC-No.: 224-221-9 REACH-no: 01-2119962266-32	(5 ≤ C < 100) Skin Corr. 1, H314 (5 ≤ C < 100) Eye Dam. 1, H318		
Full text of H- and EUH-statements: see section 16				
4 First aid measures				
4.1 Description of first aid measures				
First-aid measures general:				
Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).				
First-aid measures after inhalation:				
Move to fresh air. Allow affected person to breathe fresh air. Allow the victim to rest.				
First-aid measures after skin contact:				
Wash skin with mild soap and water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.				
First-aid measures after eye contact				
Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention. Obtain medical attention if pain, blinking or redness persists.				
First-aid measures after ingestion				
Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.				

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

4.2	Most important symptoms and effects, both acute and delayed	
	Symptoms/effects:	Not expected to present a significant hazard under anticipated conditions of normal use.
	Symptoms/effects after inhalation:	Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
	Symptoms/effects after skin contact:	Not expected to present a significant skin hazard under anticipated conditions of normal use.
	Symptoms/effects after eye contact:	Direct contact with the eyes is likely slightly irritating.
	Symptoms/effects after ingestion:	Not expected to present a significant ingestion hazard under anticipated conditions of normal use.
4.3	Indication of any immediate medical attention and special treatment needed	
	No additional information available	
5	Firefighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media:	All extinguishing media allowed. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
	Unsuitable extinguishing media:	None known. Do not use a heavy water stream.
5.2	Special hazards arising from the substance or mixture	
	Fire hazard	No fire hazard. Not combustible.
5.3	Advice for firefighters	
	Precautionary measures fire:	Evacuate area. Do not breathe fumes from fires or vapours from decomposition.
	Firefighting instructions:	Cool down the containers exposed to heat with a water spray. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
	Protection during firefighting:	Wear a self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.
	Other information:	Do not allow run-off from fire fighting to enter drains or water courses.
6	Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures	
	General measures:	[In case of inadequate ventilation] wear respiratory protection. Equip cleanup crew with proper protection.
6.1.1.	For non-emergency personnel	
	Emergency procedures:	Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
	Protective equipment:	Equip cleanup crew with proper protection.
	Emergency procedures:	Ventilate area.
6.2	Environmental precautions	
	Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.	
6.3	Methods and material for containment and cleaning up	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

	Methods for cleaning up:
	Collect spillage. Sweep or shovel spills into appropriate container for disposal. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials.
6.4	Reference to other sections
	Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13. See Section 8. Exposure controls and personal protection.
7	Handling and storage
7.1	Precautions for safe handling
	Precautions for safe handling:
	Avoid all unnecessary exposure. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
	Handling temperature:
	5 – 40 °C
	Hygiene measures:
	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2	Conditions for safe storage, including any incompatibilities
	Storage conditions:
	Store in dry, well-ventilated area. Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
	Incompatible products:
	Strong bases. Strong acids.
	Incompatible materials:
	Sources of ignition. Direct sunlight.
	Storage temperature:
	5 – 25 °C
7.3	Specific end use(s)
	Adhesives, sealants.
8	Exposure controls/personal protection
8.1	Control parameters
8.1.1.	National occupational exposure and biological limit values
	No additional information available
8.1.2.	Recommended monitoring procedures
	No additional information available
8.1.3.	Air contaminants formed
	No additional information available
8.1.4.	DNEL and PNEC
	No additional information available
8.1.5.	Control banding
	No additional information available
8.2	Exposure controls
8.2.1.	Appropriate engineering controls
	Appropriate engineering controls:
	Ensure good ventilation of the work station.
8.2.2.	Personal protection equipment
	Personal protection equipment


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

	Gloves. Safety glasses. Avoid all unnecessary exposure.					
	Personal protective equipment symbol(s):					
						
8.2.2.1	Eye and face protection					
	Eye protection:					
	Chemical goggles or safety glasses					
	Eye protection					
	Type	Field of application	Characteristics	Standard		
	Safety glasses		With side shields	EN 166		
8.2.2.2.	Skin protection					
	Skin and body protection:					
	No special clothing/skin protection equipment is recommended under normal conditions of use					
	Hand protection:					
	In case of repeated or prolonged contact wear gloves. Time of penetration is to be checked with the glove producer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Wear protective gloves.					
	Hand protection					
	Type	Material	Permeation	Thickness (mm)	Penetration	Norm
	Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,1		EN ISO 374
8.2.2.3.	Respiratory protection					
	Respiratory protection:					
	No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Wear appropriate mask					
8.2.2.4.	Thermal hazards					
	No additional information available					
8.2.3.	Environmental exposure controls					
	Avoid release to the environment.					
	Consumer exposure controls:					
	Avoid contact with skin and eyes. Do not breathe vapours. Take off immediately all contaminated clothing. Wash hands and other exposed areas with soap and water before leaving work.					
	Other information:					
	Do not eat, drink or smoke when using this product. Do not eat, drink or smoke during use.					

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

9 Physical and chemical properties	
9.1 Information on basic physical and chemical properties	
Physical state:	Liquid
Colour:	Transparent. Black.
Appearance:	Paste.
Odour:	characteristic.
Odour threshold	Not available
Melting point:	Not applicable
Freezing point:	Not applicable
Softening point:	Not applicable
Boiling point:	Not applicable
Flammability:	Non flammable.
Explosive properties:	Product is not explosive.
Oxidising properties:	Non oxidizing material according to EC criteria.
Explosive limits:	Not available
Lower explosion limit:	Not applicable
Upper explosion limit:	Not applicable
Flash point:	70 °C (ISO 3679)
Auto-ignition temperature:	≥ 395 °C (calculated value)
Decomposition temperature:	Not available
pH:	insoluble in water
Viscosity, kinematic:	4330 mm ² /s
Viscosity, dynamic:	4330 mPa·s
Non-Newtonian liquid:	Thixotropic behaviour
Solubility:	Water: Insoluble
Partition coefficient n-octanol/water (LogKow):	Not applicable for preparations
Partition coefficient n-octanol/water (LogPow):	Not applicable for preparations
Vapour pressure:	Does not apply
Vapour pressure at 50°C:	Not applicable.
Density:	1 g/cm ³
Relative density:	1
Relative vapour density at 20°C:	Not available
Particle characteristics:	Not applicable
Methyltriacetoxysilane	
Boiling point	206 – 220 °C
Flash point	99 °C
Vapour pressure	26 Pa at 20°C
9.2 Other information	
9.2.1. Information with regard to physical hazard classes	
No additional information available	
9.2.2. Other safety characteristics	
No additional information available	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

10	Stability and reactivity	
10.1	Reactivity	
	None under normal conditions.	
10.2	Chemical stability	
	Stable. Not established.	
10.3	Possibility of hazardous reactions	
	None under normal conditions. Not established.	
10.4	Conditions to avoid	
	Direct sunlight. Extremely high or low temperatures.	
10.5	Incompatible materials	
	None under normal use. Strong acids. Strong bases.	
10.6	Hazardous decomposition products	
	None under normal conditions. fume. Carbon monoxide. Carbon dioxide.	
11	Toxicological information	
11.1	Information on hazard classes as defined in Regulation (EC) No 1272/2008	
	Acute toxicity (oral):	Not classified
	Acute toxicity (dermal):	Not classified
	Acute toxicity (inhalation):	Not classified
	Ethyltriacetoxysilane (17689-77-9)	
	LD50 oral rat	380 mg/kg
	Methyltriacetoxysilane (4253-34-3)	
	LD50 oral rat	1600 mg/kg
	Skin corrosion/irritation:	Not classified (Based on available data, the classification criteria are not met) pH: insoluble in water
	Additional information:	(OECD 405 method) Based on available data, the classification criteria are not met
	Ethyltriacetoxysilane (17689-77-9)	
	pH	2,77
	Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met) pH: insoluble in water
	Additional information:	(OECD 405 method) Based on available data, the classification criteria are not met
	Ethyltriacetoxysilane (17689-77-9)	
	pH	2,77
	Respiratory or skin sensitisation:	Not classified
	Additional information:	Based on available data, the classification criteria are not met
	Germ cell mutagenicity:	Not classified
	Additional information:	Based on available data, the classification criteria are not met
	Carcinogenicity:	Not classified
	Additional information	Based on available data, the classification criteria are not met
	Reproductive toxicity:	Not classified
	Additional information:	Based on available data, the classification criteria are not met
	STOT-single exposure:	Not classified
	Additional information:	Based on available data, the classification criteria are not met

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

	STOT-repeated exposure:	Not classified
	Additional information:	Based on available data, the classification criteria are not met
	Aspiration hazard:	Not classified
	Additional information:	Based on available data, the classification criteria are not met
	Aquariasilicon	
	Viscosity, kinematic	4330 mm ² /s
11.2	Information on other hazards	
11.2.1.	Endocrine disrupting properties	
11.2.2.	Other information	
	Potential adverse human health effects and symptoms	
	Based on available data, the classification criteria are not met	
12	Ecological information	
12.1	Toxicity	
	Hazardous to the aquatic environment, short-term (acute):	Not classified
	Hazardous to the aquatic environment, long-term (chronic):	Not classified
	Ethyltriacetoxysilane (17689-77-9)	
	LC50 - Fish [1]	251 mg/l (OECD 203 method)
	EC50 - Crustacea [1]	62 mg/l (OECD 202 method)
	EC50 72h - Algae [1]	> 100 mg/l (OECD 209 method)
	Methyltriacetoxysilane (4253-34-3)	
	LC50 - Fish [1]	96,59 mg/l (OECD 203 method)
	LC50 - Fish [2]	> 110 mg/l (OECD 203 method)
	EC50 - Crustacea [1]	79,47 mg/l (OECD 202 method)
	EC50 - Crustacea [2]	> 122 mg/l (OECD 202 method)
	EC50 72h - Algae [1]	21,65 mg/l (OECD 201 method)
	EC50 72h - Algae [2]	> 120 mg/l (OECD 201 method)
12.2	Persistence and degradability	
	Aquariasilicon	
	Persistence and degradability	Not established.
	Methyltriacetoxysilane (4253-34-3)	
	Biodegradation	79,5 %
12.3	Bioaccumulative potential	
	Aquariasilicon	
	Partition coefficient n-octanol/water (Log Pow)	Not applicable for preparations
	Partition coefficient n-octanol/water (Log Kow)	Not applicable for preparations
	Bioaccumulative potential	Not established.
	Methyltriacetoxysilane (4253-34-3)	
	Partition coefficient n-octanol/water (Log Pow)	0,25
12.4	Mobility in soil	
	Methyltriacetoxysilane (4253-34-3)	
	Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,1

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

12.5	Results of PBT and vPvB assessment				
	No additional information available				
12.6	Endocrine disrupting properties				
	No additional information available				
12.7	Other adverse effects				
	Additional information:	Avoid release to the environment.			
13	Disposal considerations				
13.1	Waste treatment methods				
	Regional legislation (waste):	Disposal must be done according to official regulations.			
	Product/Packaging disposal Recommendations:	Empty the packaging completely prior to disposal. Dispose in a safe manner in accordance with local/national regulations.			
	Ecology - waste materials:	Avoid release to the environment.			
	European List of Waste (LoW) code:	08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09			
14	Transport information				
	In accordance with ADR / IMDG / IATA / ADN / RID				
	ADR	IMDG	IATA	ADN	RID
14.1	UN number or ID number				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2	UN proper shipping name				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3	Transport hazard class(es)				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4	Packing group				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5	Environmental hazards				
	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
	No supplementary information available				
14.6	Special precautions for user				
	Overland transport				
	No data available				
	Transport by sea				
	No data available				
	Air transport				
	No data available				
	Inland waterway transport				
	No data available				
	Rail transport				
	No data available				
14.7	Maritime transport in bulk according to IMO instruments				
	Not applicable				

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

15		Regulatory information
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1.	EU-Regulations	
	REACH Annex XVII (Restriction List)	
	Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)	
	REACH Annex XIV (Authorisation List)	
	Contains no substance(s) listed on REACH Annex XIV (Authorisation List)	
	REACH Candidate List (SVHC)	
	Contains no substance(s) listed on the REACH Candidate List	
	PIC Regulation (Prior Informed Consent)	
	Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)	
	POP Regulation (Persistent Organic Pollutants)	
	Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)	
	Ozone Regulation (1005/2009)	
	Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)	
	Explosives Precursors Regulation (2019/1148)	
	Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)	
	Drug Precursors Regulation (273/2004)	
	Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)	
15.1.2.	National regulations	
	No additional information available	
15.2	Chemical safety assessment	
	No chemical safety assessment has been carried out	
16		Other information
	Indication of changes:	
	Identification of the substance/mixture and of the company/undertaking.	
	Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
	Training advice:	Normal use of this product shall imply use in accordance with the instructions on the packaging.
	Other information:	None.
	Full text of H- and EUH-statements:	
	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
	EUH014	Reacts violently with water.
	EUH210	Safety data sheet available on request.
	Eye Dam. 1	Serious eye damage/eye irritation, Category 1
	H302	Harmful if swallowed.
	H314	Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Trade name: HOBBY Silicon Adhesive transparent 75 g & 310 ml

Item.No.: 11950, 11940

Supplier: Dohse Aquaristik GmbH & Co. KG, Otto Hahn Str. 9, D-53501 Grafenschaft Gelsdorf, Phone: +49(0)2225-94150

Version: 8.1 / **Revision date:** 26.06.2023 **Supersedes version of:** 24.01.2023/ **Printing date:** 19.07.2023

	H318	Causes serious eye damage.	
	Skin Corr. 1	Skin corrosion/irritation, Category 1	
	Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
	Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
	EUH210	EUH210	Calculation method
	his information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.		

End of document